

# PUMP MODULE VERSION

**THE NEXT GENERATION IN SAFETY**



**60-175 TONNE**





**60, 100, 175  
TONNE MODELS**

**MEGAMODULIFT**

Worldwide Patented  
Design



### ***So Safe***

Swivel saddle reduces  
adverse effects of angled  
jacking up to 5%

Easy operation:  
Up - Down - Neutral

Load holding rings for safety  
Available in 12"/33cm -  
21"/78cm stroke

Becomes a stand when  
removing pump module

Easily Manouverable

### ***So Versatile***

Modular design allows for quick  
interchange and control of multiple Lift  
Modules with one Pump Module. the  
Pump Module will also operate most  
10,000 psi rams and tools.



Pump Module



Lift Module



# HEAVY DUTY JACKING CATALOGUE

## 100-175 TONNE MEGA MODULIFT

Worldwide  
Patented Design ➤

Meets ASNZ Standards ➤  
Modular Design ➤

Air & Electric Models  
Available ➤  
( Electric Model shown)

Various stroke sizes from  
13"/33cm -18"/40cm ➤







Custom strokes available




### Accessories



With load holding rings the lift module mechanically supports up to 2.5 times its rated capacity



| Tonnage | Stroke |     | Closed Height |     | Extend Height |       | 4"(101mm) Base Ext |       | 4" (101mm) Ext + 4" (101mm) Base Ext |       | 8" (203mm) Ext + 4" (101mm) Base Ext |       | 16" (406mm) Ext + 4" (101mm) Base Ext |       |
|---------|--------|-----|---------------|-----|---------------|-------|--------------------|-------|--------------------------------------|-------|--------------------------------------|-------|---------------------------------------|-------|
|         |        |     | A             | A   | B             | B     | C                  | C     | D                                    | D     | E                                    | E     | F                                     | F     |
|         | Inches | mm  | Inches        | mm  | Inches        | mm    | Inches             | mm    | Inches                               | mm    | Inches                               | mm    | Inches                                | mm    |
| 60      | 13     | 330 | 21            | 530 | 34            | 860   | 38                 | 965   | 42                                   | 1,067 | 46                                   | 1,168 | 54                                    | 1,372 |
| 60      | 16     | 405 | 24            | 610 | 40            | 1,015 | 44                 | 1,118 | 48                                   | 1,219 | 52                                   | 1,321 | 60                                    | 1,524 |
| 60      | 18     | 455 | 26            | 660 | 44            | 1,115 | 48                 | 1,219 | 52                                   | 1,321 | 56                                   | 1,422 | 64                                    | 1,626 |



| Dimensions (mm) |           |     |     |     |      |     |     |     |                |
|-----------------|-----------|-----|-----|-----|------|-----|-----|-----|----------------|
| Tonnage         | Stroke    | A   | B   | C   | D    | E   | F   | G   | Approx weight  |
| 60              | 13"/330mm | 535 | 905 | 711 | 1089 | 438 | 635 | 394 | 430lbs / 195kg |
| 60              | 16"/405mm | 635 | 905 | 711 | 1089 | 438 | 635 | 394 | 434lbs / 193kg |
| 60              | 18"/455mm | 788 | 905 | 711 | 1089 | 438 | 635 | 394 | 450lbs / 204kg |

| Part number | Description                                 | Part number | Description                       |
|-------------|---------------------------------------------|-------------|-----------------------------------|
| 1000616     | Lift Module, 60T, 13" Stroke                | 1000664     | Load Holding Ring Set 24 " Stroke |
| 1000617     | Lift Module, 60T, 16" Stroke                | 1000659     | Load Holding Ring 60T - 2"        |
| 1000618     | Lift Module, 60T, 16" Stroke - Low Pressure | 100066      | Load Holding Ring 60T - 3"        |
| 1000626     | Power Module, 60-100 Tonne - Air            | 1000661     | Load Holding Ring 60T - 5"        |
| 1000628     | Power Module, 60-100 Tonne - Electric       | 1000676     | Extension, Steel Base 60T*        |
| 1000645     | Load Saddle, 60 Tonne                       | 1000677     | Extension Adaptor 60 Tonne - 4"   |
| 1000647     | Swivel Saddle, 60 Tonne                     | 1000678     | Extension Adaptor 60Tonne - 8"    |
| 1000662     | Load Holding Ring Set 13 " Stroke           | 1000679     | Extension Adaptor, 60Tonne - 16"  |
| 1000663     | Load Holding Ring Set 16 " Stroke           |             |                                   |

\* Required when using extensions





## PUMP MODULE VERSION

Worldwide  
Patented Design ➤

Meets AS/NZ Standards ➤  
Modular Design ➤

Air & Electric Models  
Available ➤  
(Electric Model shown)

Various stroke sizes from  
13"/33cm - 18"/45cm ➤







Custom strokes available




### Accessories



With load holding rings the lift module mechanically supports up to 2.5 times its rated capacity



| Tonnage | Stroke |     | Closed Height |     | Extend Height |       | 4" (101mm) Base Ext |       | 4" (101mm) Ext + 4" (101mm) Base Ext |       | 8" (203mm) Ext + 4" (101mm) Base Ext |       | 16" (406mm) Ext + 4" (101mm) Base Ext |       |
|---------|--------|-----|---------------|-----|---------------|-------|---------------------|-------|--------------------------------------|-------|--------------------------------------|-------|---------------------------------------|-------|
|         | Inches | mm  | A             | A   | B             | B     | C                   | C     | D                                    | D     | E                                    | E     | F                                     | F     |
|         |        |     |               |     |               |       |                     |       |                                      |       |                                      |       |                                       |       |
| 100     | 13     | 330 | 23            | 584 | 36            | 914   | 40                  | 1,016 | 44                                   | 1,118 | 48                                   | 1,219 | 56                                    | 1,422 |
| 100     | 16     | 405 | 27            | 680 | 43            | 1,085 | 47                  | 1,194 | 51                                   | 1,295 | 55                                   | 1,397 | 63                                    | 1,600 |
| 100     | 18     | 455 | 29            | 730 | 47            | 1,185 | 51                  | 1,295 | 55                                   | 1,397 | 59                                   | 1,499 | 67                                    | 1,701 |



| Dimensions (mm) |           |     |     |     |      |     |     |     |                |
|-----------------|-----------|-----|-----|-----|------|-----|-----|-----|----------------|
| Tonnage         | Stroke    | A   | B   | C   | D    | E   | F   | G   | Approx weight  |
| 100             | 18"/455   | 730 | 915 | 711 | 1115 | 438 | 635 | 394 | 570lbs / 258kg |
| 100             | 24"/610mm | 832 | 915 | 711 | 1115 | 438 | 635 | 394 | 615lbs / 278kg |

| Part number | Description                           | Part number | Description                        |
|-------------|---------------------------------------|-------------|------------------------------------|
| 1000619     | Lift Module, 100T, 16" Stroke         | 1000665     | Load Holding Ring, 100T-2"         |
| 100062      | Lift Module, 100T, 18" Stroke         | 1000666     | Load Holding Ring, 100T - 3"       |
| 1000626     | Power Module, 60 -100 Tonne - Air     | 1000667     | Load Holding Rings, 100T - 5"      |
| 1000628     | Power Module, 60-100 Tonne - Electric | 100068      | Extension, Steel Base 100T*        |
| 1000646     | Load Saddle, 100T                     | 1000681     | Extension Adaptor 100 Tonne- 4"    |
| 1000648     | Swivel Saddle, 100T                   | 1000682     | Extension Adaptor 100 Tonne - 8"   |
| 1000668     | Load Holding Ring Set 100T 16" Stroke | 1000683     | Extension Adaptor, 100 Tonne - 16" |
| 1000669     | Load Holding Ring Set 100T 18" Stroke | 1000657     | Front Sus Adaptor/100T             |

\* Required when using extensions



# HEAVY DUTY JACKING CATALOGUE

## 100-175 TONNE MEGA MODULIFT

Worldwide  
Patented Design ➤

Meets AS/NZ Standards ➤  
Modular Design ➤

Air & Electric Models  
Available ➤

(Electric Model shown)

Various stroke sizes from  
13"/33cm -18"/40cm ➤







Custom strokes available




### Accessories



With load holding rings the lift module mechanically supports up to 2.5 times its rated capacity



| Tonnage | Stroke |     | Closed Height |       | Extend Height |       | 4" (101mm) Base Ext |       | 4" (101mm) Ext + 4" (101mm) Base Ext |       | 8" (203mm) Ext + 4" (101mm) Base Ext |       | 16" (406mm) Ext + 4" (101mm) Base Ext |       |
|---------|--------|-----|---------------|-------|---------------|-------|---------------------|-------|--------------------------------------|-------|--------------------------------------|-------|---------------------------------------|-------|
|         | Inches | mm  | A             | A     | B             | B     | C                   | C     | D                                    | D     | E                                    | E     | F                                     | F     |
|         |        |     |               |       |               |       |                     |       |                                      |       |                                      |       |                                       |       |
| 175     | 13     | 330 | 30            | 760   | 43            | 1,090 | 47                  | 1,194 | 51                                   | 1,295 | 55                                   | 1,397 | 63                                    | 1,600 |
| 175     | 15     | 380 | 32            | 810   | 47            | 1,190 | 51                  | 1,295 | 55                                   | 1,397 | 59                                   | 1,499 | 67                                    | 1,702 |
| 175     | 17     | 430 | 34            | 860   | 51            | 1,290 | 55                  | 1,397 | 59                                   | 1,499 | 63                                   | 1,600 | 71                                    | 1,803 |
| 175     | 24     | 610 | 41            | 1,040 | 65            | 1,650 | 69                  | 1,753 | 73                                   | 1,854 | 77                                   | 1,956 | 85                                    | 2,159 |



| Dimensions (mm) |           |      |      |     |      |     |     |     |                 |
|-----------------|-----------|------|------|-----|------|-----|-----|-----|-----------------|
| Tonnage         | Stroke    | A    | B    | C   | D    | E   | F   | G   | Approx weight   |
| 175             | 13"/330mm | 762  | 915  | 711 | 1063 | 438 | 635 | 457 | 910lbs / 412kg  |
| 175             | 15"/380mm | 813  | 1048 | 781 | 1261 | 521 | 719 | 457 | 1000lbs / 453kg |
| 175             | 17"/430mm | 864  | 1048 | 781 | 1261 | 521 | 719 | 457 | 1050lbs / 476kg |
| 175             | 24"/610mm | 1041 | 1048 | 781 | 1261 | 521 | 719 | 457 | 1225lbs / 555kg |

| Part number | Description                                | Part number | Description                                |
|-------------|--------------------------------------------|-------------|--------------------------------------------|
| 1000621     | Lift Module, 175T, 13" Stroke              | 1000671     | Load Holding Ring 175 Tonne - 3"           |
| 1000622     | Lift Module, 175T, 15" Stroke              | 1000672     | Load Holding Ring 175 Tonne - 5"           |
| 1000623     | Lift Module, 175T, 17" Stroke              | 1000688     | Extension, Steel Base 175*                 |
| 1000624     | Lift Module, 175T, 24" Stroke              | 1000689     | Extension Adapter 175 Tonne 4+4" Aluminum  |
| 1000631     | Power Module, 175 Tonne - Air              | 100069      | Extension Adapter 175 Tonne 4+8" Aluminum  |
| 100065      | Swivel Saddle, 175 Tonne                   | 1000691     | Extension Adapter 175 Tonne 4+16" Aluminum |
| 1000673     | Load Holding Ring Set 175 Tonne 13" Stroke | 1000654     | Rear Sus Adaptor K-830E/175 Tonne          |
| 1000674     | Load Holding Ring Set 175 Tonne 17" Stroke | 1000655     | Rear Sus Adaptor K-830E/175 Tonne          |
| 1000675     | Load Holding Ring Set 175 Tonne 24" Stroke | 1000656     | Rear Sus Adaptor K-930E/175 Tonne          |
| 100067      | Load Holding Ring 175 Tonne - 2"           | 1000658     | Front Sus Adaptor/120/175 Tonne            |

\* Required when using extensions